

# Alternative shock setting list



**Alternative setting nr.: 1**

**Model Year: 2007**

Serial article number to configure:	<b>12.18.7C.01</b>	Type:	<b>5018 PDS DCC</b>
MOVEX - description:	<b>KTM 125 SX '07</b>	Compression damping valve:	<b>DCC 10 cpl. XC '07 5018.0213S10</b>

	Driving comfort	STANDARD	Driving sport	max. payload
Compression damping Low Speed (clicks open or marking)			<b>14</b>	
Compression damping High Speed (turns open)			1	
Rebound damping (clicks open or marking)			<b>23</b>	
Spring preload	mm	mm	5 mm	mm
Preload Adjuster (turns preload)				

Static sag	33 mm	Needle	5118.0517
Riding sag	107 mm	Rebound disk height	0 mm
Gas pressure	10 bar	Stroke	107.5 mm
Oil type	5018.0342	Shock length	411 mm
Oil viscosity	SAE 2.5		

Spring	Riders weight	Spring rate	Spring description	Spring length	Part number
<i>Spring softer</i>	kg	N/mm		mm	
Spring STANDARD	75-85 kg	<b>63 N/mm</b>	<b>(62) 63-250</b>	250 mm	<b>9121.0053</b>
<i>Spring harder</i>	kg	N/mm		mm	

Shims piston 1			
Qty	Compression	Qty	Rebound
1	<b>Ø 16x21x0.30</b>	1	Ø 16x20x0.30
1	Ø 16x30x0.20	1	Ø 16x28x0.30
1	Ø 16x32x0.20	1	Ø 16x30x0.25
1	Ø 16x34x0.20	1	<b>Ø 16x32x0.15</b>
1	Ø 16x36x0.20	1	Ø 16x32x0.20
1	Ø 16x38x0.20	1	Ø 16x34x0.20
1	Ø 16x40x0.20	1	Ø 16x26x0.15
<b>1</b>	<b>Ø 16x42x0.20</b>	2	Ø 16x36x0.20
3	Ø 16x44x0.15		
<b>1</b>	<b>Ø 16x36x0.15</b>		
5	Ø 16x44x0.25		

Shims piston 2			
Qty	Compression	Qty	Rebound
1	Ø 16x20x0.30	1	Ø 16x22x0.30
<b>2</b>	<b>Ø 16x34x0.20</b>	<b>1</b>	<b>Ø 16x30x0.25</b>
<b>2</b>	<b>Ø 16x36x0.20</b>	2	Ø 16x36x0.25
<b>2</b>	<b>Ø 16x38x0.20</b>		
<b>2</b>	<b>Ø 16x40x0.20</b>		

Piston number	<b>5018.0197</b>	Piston number	5018.0446
Piston bleed	<b>no</b>	Piston bleed	0 mm

Details compression unit:	
Qty	Description, dimension
1	Adjusting spring DCC C16
1	Backpl. Ø6x9,5x0,30
1	Shim Ø6x14x0,25
1	Shim Ø6x16x0,25
1	Shim Ø6x18x0,25
2	Shim Ø6x20x0,25
1	Shim Ø6x22x0,15
1	Shim Ø6x14x0,10
1	Shim Ø6x22x0,25

Legend: TBD = to be defined - = no comment

Note:  
**Alternative Setting Nr 1 : Motocross - Race \_ Setting**

**This release is only valid for the alternative setting of the serial shock!**

The copying, distribution and utilization of this document as well as the communication of its contents and parts of its contents to others without expressed authorization (in written form) is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of patent and utility model registration!  
This legend shall be included on any kind of reproduction of this document.

Weitergabe sowie Vervielfältigung dieses Dokumentes, Verwertung und Mitteilung seines Inhaltes und Teilen davon sind verboten, soweit nicht ausdrücklich schriftlich gestattet. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patent- und Gebrauchsmusteranmeldung vorbehalten!  
Dieser Text muss auf jeglicher Reproduktion dieses Dokumentes aufscheinen.